



# Sustainability in Radiology: Position Paper and Call to Action from ACR, AOSR, ASR, CAR, CIR, ESR, ESRNM, ISR, IS3R, RANZCR, and RSNA

Andrea G. Rockall<sup>1,2</sup> • Bibb Allen<sup>3,4</sup> • Maura J. Brown<sup>5,6</sup> • Tarek El-Diasty<sup>7,8</sup> • Jan Fletcher<sup>9</sup> • Rachel F. Gerson<sup>10</sup> • Stacy Goergen<sup>11</sup> • Amanda P. Marrero González<sup>12</sup> • Thomas M. Grist<sup>13</sup> • Kate Hanneman<sup>14,15</sup> • Christopher P. Hess<sup>16</sup> • Evelyn Lai Ming Ho<sup>17</sup> • Dina H. Salama<sup>18</sup> • Julia Schoen<sup>19</sup> • Sarah Sheard<sup>P</sup>

Author affiliations, funding, and conflicts of interest are listed at the end of this article.

Radiology 2025; 314(3):e250325 • <https://doi.org/10.1148/radiol.250325> • Content codes:  

The urgency for climate action is recognized by international government and healthcare organizations, including the United Nations (UN) and World Health Organization (WHO). Climate change, biodiversity loss, and pollution negatively impact all life on earth. All populations are impacted but not equally; the most vulnerable are at highest risk, an inequity further exacerbated by differences in access to healthcare globally.

The delivery of healthcare exacerbates the planetary health crisis through greenhouse gas emissions, largely due to combustion of fossil fuels for medical equipment production and operation, creation of medical and non-medical waste, and contamination of water supplies.

As representatives of radiology societies from across the globe who work closely with industry, and both governmental and non-governmental leaders in multiple capacities, we advocate together for urgent, impactful, and measurable changes to the way we deliver care by further engaging our members, policymakers, industry partners, and our patients. Simultaneous challenges including global health disparities, resource allocation, and access to care must inform these efforts.

Climate literacy should be increasingly added to radiology training programs. More research is required to understand and measure the environmental impact of radiological services and inform mitigation, adaptation, and monitoring efforts. Deeper collaboration with industry partners is necessary to support innovations in the supply chain, energy utilization, and circular economy. Many solutions have been proposed and are already available, but we must understand and address barriers to implementation of current and future sustainable innovations. Finally, there is a compelling need to partner with patients to ensure that trust in the excellence of clinical care is maintained during the transition to sustainable radiology.

By fostering a culture of global cooperation and rapid sharing of solutions amongst the broader imaging community, we can transform radiological practice to mitigate its environmental impact, adapt and develop resilience to current and future climate and environmental threats, and simultaneously improve access to care.

This article is simultaneously published in the *Canadian Association of Radiologists Journal* (DOI 10.1177/08465371241321390), *European Radiology* (DOI 10.1007/s00330-025-11413-7), *Journal of Medical Imaging and Radiation Oncology* (DOI 10.1111/1754-9485.13842), *Journal of the American College of Radiology* (DOI 10.1016/j.jacr.2025.02.009), *Korean Journal of Radiology* (DOI 10.3348/kjr.2025.0125) and *Radiology* (DOI 10.1148/radiol.250325). The articles are identical except for minor stylistic and spelling differences in keeping with each journal's style. Either DOI can be used when citing this article.

Published under a CC BY 4.0 license. © The Author(s) 2025.

Editor's Note: The RSNA Board of Directors has endorsed this article.

## Recognizing the Environmental Impact of Radiology and Need for Advocacy

Sustaining a healthy planet is essential to human health, including individual, community, and global health (1). The planetary health framework recognizes that the health of all living species, including humans, is interconnected with non-living components in the natural world (2). The environment in which we live directly impacts human health, including climate and weather patterns. Human activities, predominantly the burning of fossil fuels, increase greenhouse gases, driving anthropogenic climate change. As healthcare professionals, we can protect our patients by responding to the health effects of climate change and other environmental exposures and signal the importance of an urgent transition to environmentally sustainable imaging practice (3). The delivery of healthcare generates substantial greenhouse gas emissions, with diagnostic services accounting for approximately 9% of healthcare emissions in one region in Australia (4). Globally, CT and MR imaging were estimated to contribute up to 0.77% of total carbon dioxide emissions for 2016 with an expected 30% growth between 2016 and 2030 (5, 6). For comparison, aviation contributed an estimated 2.5% worldwide in 2023 (7).

Transformation of medical imaging to low carbon and climate resilient systems will require engagement at all organizational

levels locally and globally, and at a societal level. Individual radiologists and radiology practices can act as agents for change in their daily practice and within their healthcare organizations. Radiological societies may contribute by influencing not only our community but government policy. We must consider the environmental impact of our daily work, balancing responsible imaging usage against the immediate needs of patients. Despite the challenges, sustainable value-based imaging is possible, with many innovative technologies at our fingertips.

What are the priority actions that professional societies can take? What actions are likely to have the largest impact, require the lowest effort, and encounter the fewest barriers to implementation? Eight priority actions are enumerated in this article, and an action framework has been developed, identifying the responsibilities, impacts, and accountability (Fig 1, Table 1).

## Work to Address Global Disparities in Impact of Climate Change

Social, economic, and geographical determinants of health, health access, and equity are inextricably linked to environmental sustainability. While no one is immune to the effects of climate change, the climate crisis disproportionately affects low-resource settings and vulnerable individuals and groups, potentially

## Abbreviations

AdvaMed = Advanced Medical Technology Association; COCIR = European Coordination Committee of the Radiological, Electromedical and Healthcare IT Industry; EPA = Environmental Protection Agency; HVAC = heating, ventilation and air-conditioning; IAEA = International Atomic Energy Agency; LMICs = low- and middle-income countries; MEPA = Medical Equipment Proactive Alliance for Sustainable Healthcare; UN = United Nations; WHO = World Health Organization

## Essentials

- **Question:** What actions can professional societies take to improve the environmental sustainability of radiology?
- **Findings:** Better understanding of resource usage in radiology is needed; action is required to address regional and global disparities in access to care which stand to be exacerbated by climate change.
- **Clinical Relevance:** Radiological societies need to advocate for urgent, impactful, and measurable changes to mitigate the environmental impact of radiological practice. Research and education, as well as adaptation and resilience to current and future climate and environmental threats must be prioritized, while simultaneously improving access to care.

## Keywords

Climate Change, Sustainability, Resource Allocation, Radiology, Health Services Accessibility

widening existing health disparities. Extreme weather, heat stress, exposure to wildfire smoke, and poor air quality increase the risk of adverse health outcomes including myocardial infarction, asthma exacerbations, injury, zoonotic disease, and stroke (8). People at the extremes of age, individuals with pre-existing chronic disease, those living in poverty, with food and housing insecurity, or with limited healthcare access are at higher risk of adverse outcomes related to climate disruptions (9). Strategic action is needed to ensure equitable access to radiology globally, in low-income settings but also in high-income countries with internal disparities in access to care. This will require building capacity while minimizing the detrimental environmental effects related to the delivery of radiology services.

In low- and middle-income countries (LMICs), the principal challenges are infrastructure, logistics, and human resources, which are made more challenging in sparsely populated regions (7). Due to limited access to care, health services generate a much lower environmental impact in these countries compared with their middle- and higher-income counterparts. The desire to maintain a low carbon footprint should not impede advances in

healthcare that improve overall health in these regions. The current relative lack of medical imaging infrastructure in LMICs presents an opportunity to implement coordinated, sustainable systems (8), such as building reliable renewable energy sources and using mobile equipment (10). Particular consideration needs to be given to the lifespan and maintenance of equipment (11). The use of digital tools and remote access options, such as teleradiology and online consultations, mobile units, and community outreach can increase accessibility while reducing emissions from patient and staff travel and transportation (6, 12).

LMIC-led research is essential to provide constructive and locally applicable recommendations. Population and community-based monitoring of disease and climate trends as well as co-created educational and screening initiatives will be necessary to simultaneously address climate impacts and ensure access to care.

As access to radiology services in underserved regions across the globe is improved, environmentally sustainable infrastructure should be a cornerstone of government and department policy (13-19). Collaborations between international agencies, including the World Health Organization (WHO) and International Atomic Energy Agency (IAEA), professional organizations, industry, and local leadership are critical to increase awareness and influence policies (20).

## Fostering Research

Recent decades have seen the development of a robust body of science about climate change and its impacts on health and society. However, research that specifically elaborates the relationship



**Figure 1:** Key actions for radiological societies.

**Table 1: Key Actions for Radiology Leadership and Societies**

Action	Responsibilities	Expected Impact	Responsible Parties
Advocacy	Engage in policy discussions and represent radiology interests.	Increased influence on healthcare strategies and improved policy outcomes for sustainability.	Radiological societies Advocacy groups
Address global disparities	Identify and support initiatives that target disparities.	Improved access to sustainable radiological care for underserved populations.	Radiological societies Non-governmental organizations Governmental bodies
Educating for climate literacy	Develop educational materials and programs and make widely available.	Enhanced understanding of sustainability among radiology professionals and students.	Radiological societies Educational institutions Professional societies
Toolkit	Create and disseminate resources and training modules to support departmental change.	Empowerment of radiology departments to adopt sustainable practices effectively.	Radiological societies Training organizations
Research	Fund and conduct studies on energy and waste metrics.	Evidence-based insights leading to effective sustainability measures in radiology.	Radiological societies Society publications Research institutions Funding agencies
	Prioritize research into innovative solutions to the environmental impacts of medical imaging.	Empowerment of researchers in academia and industry to pursue innovative research into environmental mitigations.	
Preparedness	Develop guidelines for climate emergency responses.	Enhanced resilience of radiology departments to climate-related disruptions and health impacts.	Radiological societies Disaster response agencies
Industry collaboration	Partner with manufacturers to create common metrics for emissions and waste.	Adoption of circular economy principles, reducing emissions, waste, and improving supply chain sustainability.	Radiological societies Industry partners
	Create an examination/procedure “energy report” analogous to radiation “dose report.”	Energy reporting could contribute to a further visualization of the problem.	
Patient collaboration	Engage with patient advocacy groups for feedback.	Sustainable patient pathways that maintain high-quality care and satisfaction.	Radiological societies Patient advocacy groups

between medical imaging and its impact on environmental sustainability is only nascent. These associations must be defined across the imaging value chain to more effectively steward energy utilization and to foster the incorporation of more renewable energy sources in the delivery of imaging-based healthcare.

Among the more pressing research needs are measurements and benchmarks that foster environmental impact reduction. Efforts to date have focused on life cycle assessment (21) or on energy consumption of specific imaging devices in the operational phase (22, 23) to guide the development of more efficient per-instrument power management strategies. However, work is required to design data-driven models of energy consumption, not only for individual imaging devices or examinations but also at a larger scale—for example, within an imaging facility, across a fleet of imaging devices, and across a patient's care journey from initial diagnosis through later treatment and disease monitoring (24). Research into the environmental impact of development and utilization of artificial intelligence (or AI) in radiology, with its enormous usage of energy for model training and foundation models, is essential (25).

Furthermore, there is a compelling need to deliver imaging services more efficiently within large, complex healthcare systems. Decreasing the energy consumption of imaging requires

reducing the need for patient and employee travel to monolithic healthcare facilities. Research to develop technology that allows remote operation of imaging devices, deployment of imaging devices more broadly across communities, and more appropriate use of imaging resources (26) will synergistically enhance energy mitigation strategies.

Transformation to sustainable practice is, in essence, a study in change management. There is a need for research that compares various approaches to communicating sustainability and their impact on changing behaviors. This is perhaps not a traditional topic of research for radiologists, and we will need new collaborations to bring strength to this area of research.

A major obstacle to reducing imaging's environmental footprint is the lack of public funding mechanisms to support research on the topic. Nearly all research on the environmental sustainability of imaging to date has been unsupported or supported at a small scale by academic departments and by industry.

### Industry Collaboration

Radiology has a long and productive history of innovation through academic-industry partnerships. The advanced imaging technique resulting from these collaborations have transformed medical practice. Together, we stand uniquely positioned to lead

**Table 2: Preparing Radiology Departments for Climate Resilience**

Goal	Action
Good team-work	IT and Operations teams must be coordinated and work together (35)
Infrastructure upgrade	Infrastructure must be upgraded to ensure minimal damage to imaging equipment in the event of flooding, storms, extreme temperature and power outages (9, 38)
Technology system redundancy	Minimize data loss through building redundancy in technological systems and data storage with back-up power sources (9, 39) Back up communications systems.
Human resource resilience	Identify resilience for imaging staffing, service coverage, reporting, information systems team
Operational system redundancy	Identify alternate energy sources, supply chains, and infrastructure when disrupted or damaged (8)
Clinical emergency planning	Identify alternate patient access routes, staff access, outline triage plans

the effort to reduce the environmental impact of medical imaging and improve human health. Radiology and industry leaders need to work with industry groups such as the European Coordination Committee of the Radiological, Electromedical and Healthcare IT Industry (COCIR), the Advanced Medical Technology Association (AdvaMed), the Medical Equipment Proactive Alliance for Sustainable Healthcare (MEPA), and governmental regulatory agencies like the U.S. Environmental Protection Agency (EPA) to establish common metrics and recognition of compliance with sustainability goals (27, 28). For example, COCIR efforts have helped to establish commonly accepted measurements of energy consumption for medical imaging devices, and the EPA is in the process of developing an Energy Star program to recognize and encourage efforts to reduce energy consumption, likely beginning with MRI (27, 29). Finally, industry and the radiology community can partner to develop new methods to reduce energy consumption and resource use in medical imaging through collaborative research supported by governmental agencies (30). For example, equipment manufacturers, contrast media suppliers, and radiology researchers may work together to develop AI-based MRI reconstruction methods that may increase MRI energy usage while reducing the need for a scarce resource like gadolinium (31).

These complex scenarios require comprehensive analysis of the circular economy of imaging equipment and pharmaceuticals, which includes their production, energy use, and disposal. Specific issues that need to be addressed in addition to fossil fuel emissions are anthropogenic gadolinium contamination in ground and surface waters, mineral extraction, and critical mineral availability (32).

**Education and Climate Literacy**

A well-informed and engaged radiology workforce is essential to steward a transition to environmentally sustainable medical imaging. Leadership in this area begins with understanding the

health harms of the climate crisis and the co-benefits of reducing air pollution, biodiversity loss, and climate change. This is largely understood by healthcare professionals; however, a variety of barriers preclude engagement (33).

Integration of planetary health education into Diagnostic Radiology curricula including continuing medical education will ensure that radiologists acquire the necessary knowledge and skills to engage in mitigation and adaptation of medical imaging to the climate crisis, and a commitment to lifelong learning will allow rapid response and leadership as it evolves. Radiologists should be versed in the changing patterns of vector-borne disease, cardiopulmonary and renal disease, and cancer incidence and survivorship following extreme weather events, including increasing respiratory illnesses, heat-related health emergencies, and increased risk of injury and prevalence of mental health crises (5, 6). Cross-disciplinary collaboration with all our partners will be essential.

There should be a focus on collaboration and avoidance of duplication. Radiology conferences and journals, augmented by social media and open networks such as Radiologists for a Sustainable Future (@Rads4SF) allow for rapid distribution of successful strategies and crowdsourcing of efforts expanding micro (local) efforts to the macro (national and global) level. Cross-national and multi-society sharing of educational materials, sustainability quality improvement projects, research, and planetary health resources will also encourage curricular innovation and research. Radiology societies need to promote highly visible educational sessions on climate change and environmental sustainability at imaging conferences and through online platforms.

Tracking progress on reducing emissions and waste and sharing successful initiatives will increase confidence in organizational commitment and highlight what is possible with many contributing to the effort.

The healthcare community as trusted voices on health have tremendous potential to influence social and public policy in support of decarbonization in our workplaces and communities, and in shaping global climate policy (34).

**Operational Sustainability and Appropriate Use: Toolkit**

Management of resources, including energy, materials, equipment, and workforce, is essential for a sustainable imaging practice. While decisions on sources of electricity and energy or waste management at an organizational level may be out of the direct control of radiology departments, radiology leaders can advocate for sustainable practices. Working in coordination with operations and quality and safety departments, radiologists should consider sustainability and the circularity of the supply chain when purchasing equipment and eliminating waste (35, 36). The use of smart monitoring tools can help to mitigate energy consumption related to heating, ventilation and air-conditioning (HVAC), lighting and machine-on time (35).


Reducing unnecessary, low-value imaging is paramount and requires broad engagement including radiologists in collaboration with referring clinicians and patient partners. New digital innovations hold the promise of AI-assisted decision-support tools to help guide appropriate use of imaging and adherence to guidelines for screening and follow up. Opportunistic data capture provides an opportunity to capture relevant incidental screening



## CASE STUDY

# Medical Imaging in Puerto Rico

Key events and impact of Hurricanes Irma and Maria on medical imaging services in Puerto Rico





SEPTEMBER 2017

Hurricane Irma → \$1 billion in damage and 3 deaths in Puerto Rico  
Hurricane Maria → the largest hurricane to hit Puerto Rico since 1928, >\$100 billion in damages and >4500 deaths



## IMMEDIATELY AFTER THE HURRICANES

Damage to infrastructure → The entire island was left without electricity and wireless communication  
Approximately half of households were without water  
Widespread interruption of essential services, including food, water, and healthcare



## IMPACT ON MEDICAL IMAGING

Structural damage to imaging centres and equipment  
→ Lack of electrical power, potable water, telecommunications, teleradiology, internet and telephone  
Reduced medical imaging available due to high cost of power secondary to mechanical damage and fuel dispatch



OCTOBER 2017

Questionnaire sent to imaging centers in Puerto Rico 30 days after Hurricane Maria → 66 imaging centers responded

12 (19%) were unable to restart operations

19 (29%) were able to offer all radiology services



## KEY LESSONS AND ACTIONS TO BUILD RESILIENCE

- Physical presence of radiologists in hospitals and medical imaging centers is essential to meet the needs of patients and the community in a disaster scenario
- Preparation is needed to ensure that radiology practices are resilient to environmental disasters, with established plans to respond quickly in the event of a natural disaster

**Figure 2:** Case study. Medical Imaging in Puerto Rico: Key events and impact of Hurricanes Irma and Maria on medical imaging services in Puerto Rico.

**Table 3: Findings of a Questionnaire Sent to 66 Imaging Centers in Puerto Rico by Sociedad Radiológica de Puerto Rico (SOCRAD) 30 Days after Hurricane Maria in 2018. Imaging Centers Reported a Decrease in the Number of Modalities Offered after Hurricane Maria and 12 Centers Were Not Able to Offer Any Imaging Services**

Imaging Modality Offered	Service Offered Pre-Maria	Service Offered Post-Maria	Difference
Radiographs	64	48	25%
CT	48	38	21%
MRI	42	35	17%
Sonography	63	50	21%
Mammography	42	30	29%
DEXA	44	31	30%
Nuclear medicine	11	7	36%
No imaging services available	0	12	18%

information and data (37). The development of integrated and interoperable electronic medical records and advances in image and data sharing can eliminate redundancies. Guidelines for appropriate use and resource allocation must prioritize value-based care and be mindful of the various resource constraints, including underuse of resources, in countries and communities with limited access. Decision support tools and appropriate use criteria must be easy to access and apply and should be integrated into ordering protocols.

### Preparedness: Adapting to Climate Change and Preparing for Climate Emergencies

In parallel to mitigation strategies, adaptation strategies are needed to build resiliency to current and future impacts of the climate crisis (35, 36). Environmental exposures and adverse weather can lead to higher demand for healthcare, including unpredictable swings in the demand for imaging (5, 25). Such events also pose a risk to infrastructure and to the health, safety, and availability of the workforce, which in turn can impact capacity and productivity.

### Recognizing Operational Vulnerability and Preparing for Crisis

Climate emergencies can disrupt imaging operations due to failed equipment, infrastructure damage, strains on the energy grid, or inadequate staffing. Radiology departments are susceptible to flooding, extreme temperatures, and power failures (3). These vulnerabilities can lead to delayed care as well as financial strain. Development of disaster management protocols to prepare for extreme weather events, including potential workforce shortages and surges in imaging volumes, is essential (Table 2) (4). A case study describes the impact of climate change in radiology in Puerto Rico (Fig 2, Table 3).

The key focus of disaster planning and resiliency measures is to ensure continuity of care during crises. Investment in climate resilient facilities through infrastructure upgrades is needed (36). Resiliency requires flexibility and coordination, supply chain and workforce planning, as well as operational and data system redundancies.

### At the Time of Crisis: Workforce and Patient Care

Climate-related environmental exposures, including air pollution, wildfire smoke, and extreme heat, are associated with increased health system utilization (8). Workers too are vulnerable to climate impacts and may themselves become patients. A climate emergency may impact patients' ability to access imaging sites and services or workers' ability to provide those services.

Departments should take steps to reduce both patients' and workers' vulnerability to climate impacts. Healthcare institutions must take the lead on climate solutions and identify and collaborate with communities that are disproportionately at risk from climate-related harm. Preventive measures and investments that aim to improve the coordination of community resilience and preparedness, health, well-being, and equity will be necessary to create truly resilient healthcare systems.

### Patient-Centered Perspective and Collaboration

Connecting the concept of environmental sustainability with improved patient outcomes may help to frame the issue in terms of patient-centered care. For example, reducing the environmental impact of healthcare will contribute to improved long-term public health outcomes. Efforts to identify disease at early stages, avoidance of low-value investigations, the development of community-based diagnostic hubs, and diagnostic outreach for remote communities can increase access, improve patient pathways, reduce emissions from patient travel by coordinating appointments as well as providing more accessible, community-based imaging services, and reduce the environmental impact of services.

Listening to the patient's voice and retaining patient trust is critically important if changes to a care pathway are being made to avoid any perception that we might be "short-changing" patient care when we are ensuring guideline-compliant care that is most appropriate for their medical condition. Indeed, identifying strong patient advocates for environmental sustainability in healthcare is an important resource at this time of transition.

### Conclusion

Transformation of radiology to more environmentally sustainable practices is urgent. We need research to better understand the current state of sustainability in the practice and to help prioritize mitigation actions with the highest impact. At the same time, regional and global disparities in access to care, which stand to be exacerbated by climate change, must be addressed. Despite current knowledge gaps, we are ready to lead the change and transform to sustainable radiology, working closely with industry and patients (consumers), and preparing for potential climate crises. As healthcare professionals and radiology societies, working together as a global team, we must make our trusted voices heard by policymakers to influence a revolution in the way we work.

**Deputy Editor:** Linda Moy

#### Author affiliations:

<sup>1</sup> Department of Surgery and Cancer, Faculty of Medicine, Imperial College London, London, UK

<sup>2</sup> Department of Radiology, Imperial College Healthcare NHS Trust, London, UK

<sup>3</sup> International Society of Radiology, Reston, Virginia, USA

<sup>4</sup> Department of Radiology, Grandview Medical Center, Birmingham, Alabama, USA



<sup>5</sup> Department of Radiology, Faculty of Medicine, University of British Columbia, Vancouver, BC, Canada

<sup>6</sup> Diagnostic Imaging, BC Cancer, Vancouver, BC, Canada

<sup>7</sup> Radiology Department, Urology and Nephrology Center, University of Mansoura, Mansoura, Egypt

<sup>8</sup> Egyptian Society of Radiology and Nuclear Medicine (ESRNM), Cairo, Egypt

<sup>9</sup> Monash Health, Clayton, Victoria, Australia

<sup>10</sup> Northwest Radiologists, Bellingham, Washington, USA

<sup>11</sup> Monash University, Clayton, Victoria, Australia

<sup>12</sup> University of Puerto Rico School of Medicine, Department of Diagnostic Radiology, San Juan, Puerto Rico

<sup>13</sup> University of Wisconsin, Madison, Wisconsin, USA

<sup>14</sup> University of Toronto, Department of Medical Imaging, Toronto, ON, Canada

<sup>15</sup> Joint Department of Medical Imaging, University Medical Imaging Toronto, University Health Network (UHN) and Sinai Health System (SHS), Toronto, ON, Canada

<sup>16</sup> Department of Radiology and Biomedical Imaging, University of California, San Francisco, California, USA

<sup>17</sup> ParkCity Medical Centre, Kuala Lumpur, Malaysia

<sup>18</sup> Radiology and Medical Imaging Technology Department, Misr University for Science and Technology, October City, Egypt

<sup>19</sup> University of Michigan, Ann Arbor, Michigan, USA

Received January 28, 2025; final revision requested and received January 28; accepted January 29.

**Address correspondence to:** A.G.R. (email: a.rockall@imperial.ac.uk).

**Acknowledgments:** This is a joint article by American College of Radiology (ACR), Asian Oceanian Society of Radiology (AOSR), African Society of Radiology (ASR), Canadian Association of Radiologists (CAR), Colegio Interamericano de Radiología (CIR), European Society of Radiology (ESR), Egyptian Society of Radiology and Nuclear Medicine (ESRNM), International Society for Strategic Studies in Radiology (IS3R), International Society of Radiology (ISR), Royal Australian and New Zealand College of Radiologists (RANZCR) and Radiological Society of North America (RSNA).

- American College of Radiology (ACR): Rachel Gerson, Julia Schoen
- Asian Oceanian Society of Radiology (AOSR): Evelyn Lai Ming Ho
- African Society of Radiology (ASR): Dina Hussein Salama
- Canadian Association of Radiologists (CAR): Maura Brown, Kate Hanneman
- Colegio Interamericano de Radiología (CIR): Amanda Marrero González
- European Society of Radiology (ESR): Andrea Rockall, Sarah Sheard
- Egyptian Society of Radiology and Nuclear Medicine (ESRNM): Tarek El-Diasty
- International Society for Strategic Studies in Radiology (IS3R): Thomas Grist
- International Society of Radiology (ISR): Bibb Allen
- Royal Australian and New Zealand College of Radiologists (RANZCR): Jan Fletcher, Stacy Goergen
- Radiological Society of North America (RSNA): Christopher Hess

This paper has been endorsed by the African Regional Cooperative Agreement for Research, Development, and Training related to Nuclear Science and Technology (AFRA).

**Funding:** The authors state that this work has not received any funding.

#### Compliance with Ethical Standards

**Guarantor:** The scientific guarantor of this publication is Andrea G. Rockall.

**Disclosures of conflicts of interest:** A.R.G. None in relation to this article. B.A. None in relation to this article. M.I.B. None in relation to this article. T.E. None in relation to this article. J.F. None in relation to this article. R.E.G. None in relation to this article. S.G. None in relation to this article. A.P.M.G. None in relation to this article. T.M.G. None in relation to this article. K.H. Associate Editor *Canadian Association of Radiologists Journal*, *Radiology*, *Radiology: Cardiothoracic Imaging*, and *Journal of Cardiovascular Magnetic Resonance*. C.P.H. None in relation to this article. E.L.M.H. None in relation to this article. D.H.S. None in relation to this article. J.S. None in relation to this article. S.S. None in relation to this article. The authors of this manuscript declare no relationships with any companies, whose products or services may be related to the subject matter of the article.

**Statistics and biometry:** No complex statistical methods were necessary for this paper.

**Informed consent:** Written informed consent was not required.

**Ethical approval:** Institutional Review Board approval was not required.

**Study subjects or cohorts overlap:** Not applicable

**Methodology:** Review of literature and expert opinion gathering for society position paper.

#### References

1. Abbasi K, Ali P, Barbour V, Benfield T, Bibbins-Domingo K, Hancocks S, et al. Time to treat the climate & nature crisis as one indivisible global health emergency. *Indian J Med Res*. 2023;158(4):330-3.
2. McKee H, Brown MJ, Kim HHR, Doo FX, Panet H, Rockall AG, et al. Planetary Health and Radiology: Why We Should Care and What We Can Do. *Radiology*. 2024;311(1):e240219.
3. Atwoli L, Baqui AH, Benfield T, Bosurgi R, Godlee F, Hancocks S, et al. Call for Emergency Action to Limit Global Temperature Increases, Restore Biodiversity, and Protect Health. *N Engl J Med*. 2021;385(12):1134-7.
4. Malik A, Padget M, Carter S, Wakiyama T, Maitland-Scott I, Vyas A, et al. Environmental impacts of Australia's largest health system. *Resources, Conservation and Recycling*. 2021;169:105556.
5. Kouropoulos GP. A PREDICTIVE MODEL FOR THE ESTIMATION OF CARBON DIOXIDE EMISSIONS OF MAGNETIC RESONANCE IMAGING (MRI) UNITS AND COMPUTED TOMOGRAPHY (CT) SCANNERS. *Journal of Urban and Environmental Engineering*. 2018;12(2):172-87.
6. Brown M, Schoen JH, Gross J, Omary RA, Hanneman K. Climate Change and Radiology: Impetus for Change and a Toolkit for Action. *Radiology*. 2023;307(4):e230229.
7. International Energy Agency . Tracking Aviation IEA: IEA; 2025. Accessed on January 22nd 2025. Available from: <https://www.iea.org/energy-system/transport/aviation>.
8. Gunasekaran S, Szava-Kovats A, Battey T, Gross J, Picano E, Raman SV, et al. Cardiovascular Imaging, Climate Change, and Environmental Sustainability. *Radiol Cardiothorac Imaging*. 2024;6(3):e240135.
9. Romanello M, Napoli CD, Green C, Kennard H, Lampard P, Scamman D, et al. The 2023 report of the Lancet Countdown on health and climate change: the imperative for a health-centred response in a world facing irreversible harms. *Lancet*. 2023;402(10419):2346-94.
10. Chaban YV, Vosschenrich J, McKee H, Gunasekaran S, Brown MJ, Atalay MK, et al. Environmental Sustainability and MRI: Challenges, Opportunities, and a Call for Action. *J Magn Reson Imaging*. 2024;59(4):1149-67.
11. Kibirige C. White Elephants & Donor-Funded Research in Developing Countries: Centre for Research and International Development; 2024. Accessed on January 22nd 2025 Available from: <https://www.cenrid.org/post/white-elephants-donor-funded-research-in-developing-countries>.
12. Kjelle E, Brandsaeter IO, Andersen ER, Hofmann B. Sustainability in health-care by reducing low-value imaging - A narrative review. *Radiography (Lond)*. 2024;30 Suppl 1:30-4.
13. Dagvasumberel G, Khurelsukh K, Dagvasumberel M. Radiology Loading and Coverage Hours in Mongolia. *Korean J Radiol*. 2024;25(6):505-7.
14. Meng F, Zhan L, Liu S, Zhang H. The Growing Problem of Radiologist Shortage: China's Perspective. *Korean J Radiol*. 2023;24(11):1046-8.
15. Jamil H, Tariq W, Ameer MA, Asghar MS, Mahmood H, Tahir MJ, et al. Interventional radiology in low- and middle-income countries. *Ann Med Surg (Lond)*. 2022;77:103594.
16. Murali S, Ding H, Adedeji F, Qin C, Obungoloch J, Asllani I, et al. Bringing MRI to low- and middle-income countries: Directions, challenges and potential solutions. *NMR Biomed*. 2024;37(7):e4992.
17. Frija G, Blazic I, Frush DP, Hierath M, Kawooya M, Donoso-Bach L, et al. How to improve access to medical imaging in low- and middle-income countries? *EClinicalMedicine*. 2021;38:101034.
18. Frija G, Salama DH, Kawooya MG, Allen B. A paradigm shift in point-of-care imaging in low-income and middle-income countries. *EClinicalMedicine*. 2023;62:102114.
19. DeStigter K, Pool KL, Leslie A, Hussain S, Tan BS, Donoso-Bach L, et al. Optimizing integrated imaging service delivery by tier in low-resource health systems. *Insights Imaging*. 2021;12(1):129.
20. IAEA. IMAGINE - IAEA Medical imaAGIng adn Nuclear mEdicine global resources database: IAEA Human Health Campus (2016). Accessed on January 22nd 2025. Available from: <https://humanhealth.iaea.org/HHW/DBStatistics/IMAGINE.html>.
21. Martin M, Mohnke A, Lewis GM, Dunnick NR, Keoleian G, Maturen KE. Environmental Impacts of Abdominal Imaging: A Pilot Investigation. *J Am Coll Radiol*. 2018;15(10):1385-93.
22. Heye T, Knoerl R, Wehrle T, Mangold D, Cerminara A, Loser M, et al. The Energy Consumption of Radiology: Energy- and Cost-saving Opportunities for CT and MRI Operation. *Radiology*. 2020;295(3):593-605.

23. Woolen SA, Becker AE, Martin AJ, Knoerl R, Lam V, Folsom J, et al. Ecodesign and Operational Strategies to Reduce the Carbon Footprint of MRI for Energy Cost Savings. *Radiology*. 2023;307(4):e230441.
24. Thiel CL, Vigil-Garcia M, Nande S, Meijer C, Gehrels J, Struk O, et al. Environmental Life Cycle Assessment of a U.S. Hospital-based Radiology Practice. *Radiology*. 2024;313(2):e240398.
25. Doo FX, Vossenhich J, Cook TS, Moy L, Almeida E, Woolen SA, et al. Environmental Sustainability and AI in Radiology: A Double-Edged Sword. *Radiology*. 2024;310(2):e232030.
26. Brady A, Brink J, Slavotinek J. Radiology and Value-Based Health Care. *JAMA*. 2020;324(13):1286-7.
27. COCIR. Ecodesign Initiative: saving energy (2009-2015). Accessed on 22nd January 2025. Available from: <https://www.cocir.org/initiatives/ecodesign-initiative/saving-energy>
28. Healthcare MEPAfS. Sustainability criteria for purchasing medical imaging devices 2024 Accessed on January 22nd 2025. Available from: <https://www.mepaalliance.org>.
29. Energy Star: Medical Imaging Equipment: U.S. Environmental Protection Agency; 2022 Accessed on January 22nd 2025. Available from: <https://www.energystar.gov/sites/default/files/asset/document/ENERGY%20STAR%20Medical%20Imaging%20Equipment%20Discussion%20Guide.pdf>.
30. Liu GL. Bioengineering Partnerships with Industry (BPI): National Institute of Biomedical Imaging and Bioengineering; 2024 Program Announcement. Accessed on January 22nd 2025. Available from: <https://www.nibib.nih.gov/funding/bioengineering-partnerships-industry>
31. Tsui B, Calabrese E, Zaharchuk G, Rauschecker AM. Reducing Gadolinium Contrast With Artificial Intelligence. *J Magn Reson Imaging*. 2024;60(3):848-59.
32. Dekker HM, Stroomberg GJ, Van der Molen AJ, Prokop M. Review of strategies to reduce the contamination of the water environment by gadolinium-based contrast agents. *Insights Imaging*. 2024;15(1):62.
33. Kotcher J, Maibach E, Miller J, Campbell E, Alqodmani L, Maiero M, et al. Views of health professionals on climate change and health: a multinational survey study. *Lancet Planet Health*. 2021;5(5):e316-e23.
34. Howard C, MacNeill AJ, Hughes F, Alqodmani L, Charlesworth K, de Almeida R, et al. Learning to treat the climate emergency together: social tipping interventions by the health community. *Lancet Planet Health*. 2023;7(3):e251-e64.
35. Cisco. CIO/IT Leader Guide: Getting Started on Sustainability 2023. Accessed on January 22nd 2025. Available from: <https://www.cisco.com/c/en/us/solutions/collateral/industries/csr/environmental-sustainability/getting-started-sustainability-wp.pdf>.
36. Zeldin R, Hariharan, K. Climate Change Significantly Impacts Global Health 2020 Accessed on January 22nd 2025. Available from: <https://www.oliver-wyman.com/our-expertise/insights/2020/oct/health-innovation-journal/climate-change-significantly-impacts-global-health.html>.
37. Pickhardt PJ. Value-added Opportunistic CT Screening: State of the Art. *Radiology*. 2022;303(2):241-54.
38. Fleming KA, Horton S, Wilson ML, Atun R, DeStigter K, Flanagan J, et al. The Lancet Commission on diagnostics: transforming access to diagnostics. *Lancet*. 2021;398(10315):1997-2050.
39. Hricak H, Ward ZJ, Atun R, Abdel-Wahab M, Muellner A, Scott AM. Increasing Access to Imaging for Addressing the Global Cancer Epidemic. *Radiology*. 2021;301(3):543-6.